**DOCKET NO.:** MSFT-1794 / 303770.1

Application No.: 10/622,597 Office Action Dated: 02/07/2005

This listing of claims will replace all prior versions, and listings, of claims in the application.

**PATENT** 

## **Listing of Claims:**

1. (Currently Amended) A method for rendering graphics on a display device for a computer system having a central processing unit, system random access memory, and a graphics card, said graphics card comprising a graphical processing unit, video random access memory, and a frame buffer, said method comprising:

rendering a graphic in the system random access memory with the central processing unit; and

copying said graphic from the system random access memory directly into to the frame buffer.

- 2. (Original) The method of claim 1 wherein said graphic comprises a complex graphic element.
- 3. (Original) The method of claim 2 wherein said complex graphic comprises a sub-pixel manipulation technology.
- 4. (Original) The method of claim 2 wherein said complex graphic comprises antialiasing.
- 5. (Original) The method of claim 2 wherein said complex graphic comprises shading.
- 6. (Original) The method of claim 2 wherein said complex graphic comprises texturing.
- 7. (Original) The method of claim 2 wherein said complex graphic comprises alphablending.
- 8. (Cancelled)
- 9. (Original) The method of claim 2 wherein said complex graphic comprises a compositing of overlays.

**DOCKET NO.:** MSFT-1794 / 303770.1

**Application No.:** 10/622,597 **Office Action Dated:** 02/07/2005

PATENT

10. (Original) The method of claim 1 wherein said computer system further comprises an accelerated graphics port (ACP) between the central processing unit, the system random access memory, and the graphics card.

- 11. (Original) The method of claim 1 wherein said graphic card comprises a graphics accelerator.
- 12. (Original) The method of claim 1 wherein said graphic card comprises a graphics coprocessor.
- 13. (Currently Amended) A computer-readable medium having computer-readable instructions for rendering graphics on a display device for a computer system comprising a central processing unit, system random access memory, and a graphics card, said graphics card comprising a graphical processing unit, video random access memory, and a frame buffer, said computer-readable instructions comprising:

instructions for rendering said graphic in the system random access memory with the central processing unit; and

instructions for copying said graphic from the system random access memory <u>directly</u> into to the frame buffer.

- 14. (Original) The computer-readable medium of claim 13 further comprising instructions for rendering a complex graphic in system random access memory with the central processing unit.
- 15. (Original) The computer-readable medium of claim 14 wherein said complex graphic comprises a sub-pixel manipulation technology.
- 16. (Original) The computer-readable medium of claim 14 wherein said complex graphic comprises anti-aliasing.
- 17. (Original) The computer-readable medium of claim 14 wherein said complex graphic comprises shading.

**DOCKET NO.:** MSFT-1794 / 303770.1

Application No.: 10/622,597 Office Action Dated: 02/07/2005 PATENT

- 18. (Original) The computer-readable medium of claim 14 wherein said complex graphic comprises texturing.
- 19. (Original) The computer-readable medium of claim 14 wherein said complex graphic comprises alpha-blending.
- 20. (Original) The computer-readable medium of claim 14 wherein said complex graphic comprises an orientation-change graphic.
- 21. (Original) The computer-readable medium of claim 14 wherein said complex graphic comprises a compositing of overlays.
- 22. (Currently Amended) A system for rendering graphics on a display device, said system comprising:

a central processing unit;

system random access memory coupled to said central processing unit;

a graphics card coupled to said central processing unit and system random access memory, said graphics card comprising a graphical processing unit, video random access memory, and a frame buffer; and

a software program, loaded into system random access memory, for the central processing unit to render said graphics in the system random access memory and to copy said graphics from the system random access memory directly into to the frame buffer.

- 23. (Original) The system of claim 22 wherein said graphics comprise a complex graphic element.
- 24. (Original) The system of claim 23 wherein said complex graphic comprises a subpixel manipulation technology.
- 25. (Original) The system of claim 22 wherein said computer system further comprises an accelerated graphics port (ACP) coupled to the central processing unit, the system random access memory, and the graphics card.

**DOCKET NO.:** MSFT-1794 / 303770.1 **PATENT** 

Application No.: 10/622,597 Office Action Dated: 02/07/2005

26. (Original) The system of claim 22 wherein said graphic card comprises a graphics accelerator.

- 27. (Original) The system of claim 22 wherein said graphic card comprises a graphics coprocessor.
- 28. (Currently Amended) A system for rendering graphics on a display device for a computer system having a central processing unit, system random access memory, and a graphics card, said graphics card comprising a graphical processing unit, video random access memory, and a frame buffer, said method comprising:

means for rendering said graphic in the system random access memory with the central processing unit; and

means for copying said graphic from the system random access memory <u>directly into</u> to the frame buffer.

29. (New) The method of claim 2 wherein said complex graphic comprises an orientation-change graphic.